

2017 Water Quality Report






Your 2017 Water Quality Report

Since 1990, California public water utilities have been providing an annual Water Quality Report to their customers. This year's report covers calendar year 2016 drinking water quality testing and reporting.

The East Orange County Water District (EOCWD) vigilantly safeguards its water supply

and, as in years past, the water delivered to your home meets the quality standards required by federal and state regulatory agencies. The U.S. Environmental Protection Agency (USEPA) and the State Water Resources Control Board, Division of Drinking Water (DDW) are the agencies responsible for establishing and enforcing drinking water quality standards.

In some cases, EOCWD goes beyond what is required by testing for unregulated chemicals that may have known health risks but do not have drinking water standards. For example, the Orange County



Water District (OCWD), which manages the groundwater basin, and the Metropolitan Water District of Southern California (MWDSC), which supplies treated imported surface water to EOCWD, test for unregulated chemicals in our water supply. Unregulated chemical monitoring helps USEPA and DDW determine where certain chemicals occur and whether new standards need to be established for those chemicals to protect public health.

Through drinking water quality testing programs carried out by OCWD for groundwater, MWDSC for treated surface water and EOCWD for the water distribution system, your drinking water is consistently monitored from source to tap for regulated and unregulated constituents.

The State allows us to monitor for some contaminants less than once per year because the concentrations of these contaminants do not change frequently.

Some of our data, though representative, are more than one year old.

This report contains
important information about
your drinking water.
Translate it, or speak with someone
who understands it.

Este informe contiene información muy importante sobre su agua potable.

Para mas información ó traducción, favor de contactar a

Customer Service Representative.

Telefono: (714) 538-5815.

Questions about your water? Contact us for answers.

For information about this report, or your water quality in general, please contact Jerry Mendzer, Operations Manager, at (714) 538-5815.

The EOCWD Board of Directors meets on the 3rd Thursday of each month at 5:00 p.m. Meetings are held at 185 N. McPherson Road, Orange.

For more information about the health effects of the listed contaminants in the following tables, call the USEPA hotline at (800) 426-4791.


The Quality of Your Water Is Our Primary Concern

Sources of Supply

Orange County's water supplies are a blend of groundwater managed by the OCWD and water imported from Northern California and the Colorado River by the Municipal Water District of Orange County (MWDOC) via MWDSC. Groundwater comes from a natural underground aquifer that is replenished with water from the Santa Ana River, local rainfall and imported water. The groundwater basin covers 350 square miles and lies beneath north and central Orange County from Irvine to the Los Angeles County border and from Yorba Linda to the Pacific Ocean. More than 20 cities and retail water districts draw from the basin to provide water to homes and businesses. In south Orange County, nearly 100 percent of the water is imported and delivered to the cities and retail water districts, where it is stored in above-ground reservoirs and tanks before being sent to homes and businesses. In 2016, East Orange County Water District imported 18% surface water while 82% was local groundwater.

Orange County's Water Future

For years, Orange County has enjoyed an abundant, seemingly endless supply of high-quality water. However, as water demand continues to increase statewide, we must be even more conscientious



about our water supply and maximize the efficient use of this precious natural resource.

Your Water: Always Available, Always Assured

THE DIEMER WATER TREATMENT PLANT, located in the hills above Yorba Linda, processes up to 520 million gallons of clean water per day — enough to fill the Rose Bowl every 4 hours. The water is a blend from both the Colorado River Aqueduct and the State Water Project. At 212-acres, it's one of the largest water treatment plants in the U.S. It provides nearly half of Orange County's total water supply.

Water flowing from Diemer meets — or exceeds — all state and federal regulations. And it is kept safe from the treatment plant to your tap by constant testing throughout the distribution network. Every day, the Yorba Linda Water District monitors the water quality at all sources, reservoirs, and various points on the distribution system. In addition, the Orange County Water District performs

testing on the City's groundwater wells by analyzing for hundreds of compounds, many more than are required by state and federal laws and regulations. This constant surveillance ensures your drinking water stays within the requirements mandated by the federal Safe Drinking Water Act.



OCWD and MWDOC work cooperatively to evaluate new and innovative water management and supply development programs, including water reuse and recycling, wetlands expansion, recharge facility construction, ocean and brackish water desalination, surface storage, water use efficiency programs, improved stormwater and dry weather urban runoff recovery. These efforts are helping to enhance long-term countywide water reliability and water quality.



A healthy water future for Orange County rests on finding and developing new water supplies, as well as protecting and improving the quality of the water that we have today. Your local and regional water agencies are committed to making the necessary investments today in new water management projects to ensure an abundant and high-quality water supply for our future.

Basic Information About Drinking Water Contaminants

The sources of drinking water (both tap water and bottled water) include rivers, lakes, streams, ponds, reservoirs, springs and wells. As water travels over the surface of land or through the layers of the ground it dissolves naturally occurring minerals and, in some cases, radioactive material, and can pick up substances resulting from the presence of animal and human activity.

Contaminants that may be present in source water include:

- Inorganic contaminants, such as salts and metals, which can be
 naturally occurring or result from urban storm runoff, industrial or domestic
 wastewater discharges, oil and gas production, mining and farming.
- Microbial contaminants, such as viruses and bacteria, which may come from sewage treatment plants, septic systems, agricultural livestock operations and wildlife.
- **Radioactive contaminants**, which can be naturally occurring or be the result of oil and gas production or mining activities.
- Pesticides and herbicides, which may come from a variety of sources such as agriculture, urban stormwater runoff and residential uses.
- Organic chemical contaminants, including synthetic and volatile organic chemicals, which are by-products of industrial processes and petroleum production, and can also come from gasoline stations, urban stormwater runoff, agricultural application and septic systems.

In order to ensure that tap water is safe to drink, USEPA and the DDW prescribe regulations that limit the amount of certain contaminants in water provided by public water systems.

The U.S. Food and Drug Administration regulations and California law also establish limits for contaminants in bottled water that must provide the same protection for public health. Drinking water, including bottled water, may reasonably be expected to contain at least small amounts of some contaminants. The presence of contaminants does not necessarily indicate that water poses a health risk.

More information about contaminants and potential health effects can be obtained by calling the USEPA's Safe Drinking Water Hotline at (800) 426-4791.

Federal and State Water Quality Regulations

— Water Quality Issues that Could Affect Your Health —

About Lead in Tap Water

If present, elevated levels of lead can cause serious health problems, especially for pregnant women and young children. Lead in drinking water is primarily from materials and components associated with service lines and home plumbing. East Orange County Water District is responsible for providing high quality drinking water, but cannot control the



variety of materials used in plumbing components. When your water has been sitting for several hours, you can minimize the potential for lead exposure by flushing your tap for 30 seconds to 2 minutes before using water for drinking or cooking. If you are concerned about lead in your water, you may wish to have your water tested. Information on lead in drinking water, testing methods, and steps you can take to minimize exposure is available from the Safe Drinking Water Hotline, (800) 426-4791 between 9 a.m. and 5 p.m. Eastern Time (6 a.m. to 2 p.m. in California), or at: www.epa.gov/safewater/lead.

Disinfectants and Disinfection Byproducts

Disinfection of drinking water was one of the major public health advances in the 20th century. Disinfection was a major factor in reducing waterborne disease epidemics caused by pathogenic bacteria and viruses, and it remains an essential part of drinking water treatment today.



Chlorine disinfection has almost completely eliminated from our lives the risks of microbial waterborne diseases. Chlorine is added to your drinking water at the source of supply (groundwater well or surface water treatment plant). Enough chlorine is added so that it does not completely dissipate through the distribution

system pipes. This "residual" chlorine helps to prevent the growth of bacteria in the pipes that carry drinking water from the source into your home.

However, chlorine can react with naturally-occurring materials in the water to form unintended chemical byproducts, called disinfection byproducts (DBPs), which may pose health risks. A major challenge is how to balance the risks from microbial pathogens and DBPs. It is important to provide protection from these microbial pathogens while simultaneously ensuring decreasing health risks from DBPs. The Safe Drinking Water Act requires USEPA to develop rules to achieve these goals.

Trihalomethanes (THMs) and Haloacetic Acids (HAAs) are the most common and most studied DBPs found in drinking water treated with chlorine. In 1979, the USEPA set the maximum amount of total THMs allowed in drinking water at 100 parts per billion as an annual running average. Effective in January 2002, the Stage 1 Disinfectants / Disinfection Byproducts Rule lowered the total THM maximum annual average level to 80 parts per billion and added HAAs to the list of regulated chemicals in drinking water. Your drinking water complies with the Stage 1 Disinfectants / Disinfection Byproducts Rule.

Stage 2 of the regulation was finalized by USEPA in 2006, which further controls allowable levels of DBPs in drinking water without compromising disinfection itself. A required distribution system evaluation was completed in 2008 and a Stage 2 monitoring plan has been approved by DDW. Full Stage 2 compliance began in 2012.

Drinking Water Fluoridation

Fluoride has been added to U.S. drinking water supplies since 1945. Of the 50 largest cities in the U.S., 43 fluoridate their drinking water. In December 2007, MWDSC joined a majority of the nation's

public water suppliers in adding fluoride to drinking water in order to prevent tooth decay. In line with recommendations from the DDW, as well as the U.S. Centers for Disease Control and Prevention, MWDSC adjusted the natural fluoride level in imported treated water from the Colorado River and State Project water to the optimal range for dental health of 0.6 to



1.2 parts per million. Our local groundwater is not supplemented with fluoride. Fluoride levels in drinking water are limited under California state regulations at a maximum dosage of 2 parts per million.

Additional information about the fluoridation of drinking water can be found through the following sources:

U.S. Centers for Disease Control and Prevention:

1-888-CDC-INFO (1-888-232-4636) www.cdc.gov/fluoridation/

State Water Resources Control Board, Division of Drinking Water

www.waterboards.ca.gov/drinking_water/certlic/drinkingwater/Fluoridation.shtml

American Dental Association

www.ada.org/en/public-programs/advocating-for-the-public/fluoride-and-fluoridation/ada-fluoridation-resources

American Water Works Association: www.awwa.org

Water Quality Issues that Could Affect Your Health



Immuno-Compromised People

Some people may be more vulnerable to contaminants in drinking water than the general population. Immuno-compromised people, such as those with cancer who are undergoing chemotherapy, persons who have had organ transplants, people with HIV/AIDS or other immune system disorders, some elderly persons and infants can

be particularly at risk from infections. These people should seek advice about drinking water from their health care providers.

Cryptosporidium

Cryptosporidium is a microscopic organism that, when ingested, can cause diarrhea, fever, and other gastrointestinal symptoms. The organism comes from animal and/or human wastes and may be in surface water. MWDSC tested their source water and treated surface water for Cryptosporidium in 2016 but did not detect it. If it ever is detected, Cryptosporidium is eliminated by an effective treatment combination including sedimentation, filtration and disinfection.

The USEPA and the federal Centers for Disease Control guidelines on appropriate means to lessen the risk of infection by Cryptosporidium and other microbial contaminants are available from USEPA's Safe Drinking Water Hotline at (800) 426-4791 between 10 a.m. and 4 p.m. Eastern Time (7 a.m. to 1 p.m. in California).

Chloramines

EOCWD imports water from MWDSC and produces water using chloramines, a combination of chlorine and ammonia, as its drinking water disinfectant.
Chloramines are effective killers of

bacteria and other microorganisms that may cause disease. Chloramines form fewer disinfection byproducts and have no odor when used properly. People who use kidney dialysis machines may want to take special precautions and consult their physician for the appropriate type of water treatment. Customers who maintain fish ponds, tanks or aquaria should also make necessary adjustments in water quality treatment, as these disinfectants are toxic to fish.

For further information or if you have any questions about chloramines please visit our website, www.eocwd.com, or call (714) 538-5815.

Chart Legend

What are Water Quality Standards?

Drinking water standards established by USEPA and DDW set limits for substances that may affect consumer health or aesthetic qualities of drinking water. The chart in this report shows the following types of water quality standards:

- Maximum Contaminant Level (MCL): The highest level of a contaminant that is allowed in drinking water.
 Primary MCLs are set as close to the PHGs (or MCLGs) as is economically and technologically feasible.
- Maximum Residual Disinfectant Level (MRDL): The highest level of a disinfectant allowed in drinking water. There is convincing evidence that addition of a disinfectant is necessary for control of microbial contaminants.
- Secondary MCLs are set to protect the odor, taste, and appearance of drinking water.
- Primary Drinking Water Standard: MCLs for contami-

nants that affect health along with their monitoring and reporting requirements and water treatment requirements.

 Regulatory Action Level (AL): The concentration of a contaminant, which, if exceeded, triggers treatment or other requirements that a water system must follow.

How are Contaminants Measured?

Water is sampled and tested throughout the year. Contaminants are measured in:

- parts per million (ppm) or milligrams per liter (mg/L)
- parts per billion (ppb) or micrograms per liter (µg/L)
- parts per trillion (ppt) or nanograms per liter (ng/L)

What is a Water Quality Goal?

In addition to mandatory water quality standards, USEPA and DDW have set voluntary water quality goals for some

contaminants. Water quality goals are often set at such low levels that they are not achievable in practice and are not directly measurable. Nevertheless, these goals provide useful guideposts and direction for water management practices. The chart in this report includes three types of water quality goals:

- Maximum Contaminant Level Goal (MCLG): The level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs are set by USEPA.
- Maximum Residual Disinfectant Level Goal (MRDLG): The level of a drinking water disinfectant below which there is no known or expected risk to health. MRDLGs do not reflect the benefits of the use of disinfectants to control microbial contaminants.
- Public Health Goal (PHG): The level of a contaminant in drinking water below which there is no known or expected risk to health. PHGs are set by the California Environmental Protection Agency.

SourceWater Assessments

Groundwater Assessment

An assessment of the drinking water sources for EOCWD was completed in December 2002. The groundwater sources are considered most vulnerable to the following activities associated with nitrates detected in the water supply: historic waste dumps/landfills, and past agricultural activities and application of fertilizers. The groundwater sources are considered most vulnerable to the following activities not associated with detected contaminants: dry cleaners and oas stations.

A copy of the complete assessment is available at SWRCB, Division of Drinking Water, 605 W. Santa Ana Blvd., Building 28, Room 325, Santa Ana, CA 92701. You may request a summary of the assessment by contacting Jerry Mendzer at EOCWD, (714) 538-5815.

Imported (MWDSC) Water Assessment

Every five years, MWDSC is required by DDW to examine possible sources of drinking water contamination in its State Water Project and Colorado River source waters.

The most recent watershed sanitary surveys for MWDSC's source waters are the Colorado River Watershed Sanitary Survey – 2015 Update, and the State Water Project Watershed Sanitary Survey – 2011 Update

Water from the Colorado River is considered to be most vulnerable to contamination from recreation, urban/stormwater runoff, increasing urbanization in the watershed, and wastewater. Water supplies from Northern California's State Water Project are most vulnerable to contamination from urban/stormwater runoff, wildlife, agriculture, recreation, and wastewater.

USEPA also requires MWDSC to complete one Source Water Assessment (SWA) that utilizes information collected in the watershed sanitary surveys. MWDSC completed its SWA in December 2002. The SWA is used to evaluate the vulnerability of water sources to contamination and helps determine whether more protective measures are needed.

A copy of the most recent summary of either Watershed Sanitary Survey or the SWA can be obtained by calling MWDSC at (800) CALL-MWD (225-5693).



2016 East Orange County Water District Drinking Water Quality Local Groundwater and Metropolitan Water District Treated Surface Water

Chemical	MCL	PHG (MCLG)	Avg. Groundwater Amount	Avg. Imported MWD Amount	Range of Detections	MCL Violation?	Typical Source of Contaminant
Radiologicals – Tested in 2014							
Alpha Radiation (pCi/L)	15	(0)	ND	ND	ND – 4	No	Erosion of natural deposits
Beta Radiation (pCi/L)	50	(0)	NR	5	4 – 6	No	Decay of man-made or natural deposits
Uranium (pCi/L)	20	0.43	ND	3	ND - 3	No	Erosion of natural deposits
Inorganic Chemicals – Tested i	n 2015 and 2016						
Aluminum (ppm)	1	0.6	ND	0.168	ND - 0.24	No	Treatment Process Residue, Natural Deposits
Barium (ppm)	1	2	ND	0.138	ND - 0.138	No	Refinery Discharge, Runoff or Leaching from Natural Deposit
Fluoride (ppm) naturally-occurring	2	1	0.14	NR	0.14	No	Erosion of natural deposits
Fluoride (ppm) treatment-related	Control Range Optimal Leve		NR	0.7	0.6 – 0.9	No	Water additive for dental health
Nitrate as N (ppm)	10	10	4.15	ND	ND - 4.27	No	Agriculture runoff and sewage
Nitrate and Nitrite as N (ppm)	10	10	4.15	ND	ND - 4.27	No	Agriculture runoff and sewage
Secondary Standards* – Teste	d in 2015 and 201	16					
Aluminum (ppb)	200*	600	ND	168	ND - 240	No	Treatment Process Residue, Natural Deposits
Chloride (ppm)	500*	n/a	105	103	101 – 105	No	Runoff or leaching from natural deposits
Color (color units)	15*	n/a	ND	1	ND - 1	No	Naturally-occurring organic materials
Odor (odor units)	3*	n/a	ND	3	ND - 3	No	Naturally-occurring organic materials
Specific Conductance (µmho/cm)	1,600*	n/a	926	1,040	926 - 1,050	No	Substances that form ions in water
Sulfate (ppm)	500*	n/a	127	260	127 – 262	No	Runoff or leaching of natural deposits
Total Dissolved Solids (ppm)	1,000*	n/a	606	654	606 – 658	No	Runoff or leaching of natural deposits
Unregulated Chemicals – Teste	ed in 2015 and 20	16					
Alkalinity (ppm)	Not Regulated	n/a	184	120	115 – 184	n/a	Runoff or leaching from natural deposits
Boron (ppm)	NL = 1	n/a	0.15	0.15	0.15	n/a	Runoff or leaching from natural deposits
Calcium (ppm)	Not Regulated	n/a	98.5	76	75 – 98.5	n/a	Runoff or leaching from natural deposits
Hardness, total (ppm)	Not Regulated	n/a	342	296	292 – 342	n/a	Runoff or leaching of natural deposits
Hardness, total (grains/gal)	Not Regulated	n/a	20	17	17 – 20	n/a	Runoff or leaching of natural deposits
Magnesium (ppm)	Not Regulated	n/a	23.4	27	23.4 – 27	n/a	Runoff or leaching from natural deposits
pH (pH units)	Not Regulated	n/a	7.8	8.1	7.8 – 8.1	n/a	Hydrogen ion concentration
Potassium (ppm)	Not Regulated	n/a	2.3	5.1	2.3 – 5.1	n/a	Runoff or leaching from natural deposits
Sodium (ppm)	Not Regulated	n/a	61.6	103	61.6 - 107	n/a	Runoff or leaching from natural deposits
Total Organic Carbon (ppm)	TT	n/a	0.42	2.5	0.42 - 2.6	n/a	Various natural and man-made sources

ppb = parts-per-billion; ppm = parts-per-million; pCi/L = picoCuries per liter; NTU = nephelometric turbidity units; pmho/cm = micromhos per centimeter; NR = Not Required to be analyzed; ND = not detected; < = average is less than the detection limit for reporting purposes; MCL = Maximum Contaminant Level; (MCLG) = federal MCL Goal; PHG = California Public Health Goal; NL = Notification Level; n/a = not applicable; TT = treatment technique *Contaminant *C

*Contaminant is regulated by a secondary standard.

Turbidity – combined filter effluent Metropolitan Water District Diemer Filtration Plant	Treatment Technique	Turbidity Measurements	TT Violation?	Typical Source of Contaminant
1) Highest single turbidity measurement	0.3 NTU	0.07	No	Soil run-off
2) Percentage of samples less than 0.3 NTU	95%	100%	No	Soil run-off

Turbidity is a measure of the cloudiness of the water, an indication of particulate matter, some of which might include harmful microorganisms.

Low turbidity in Metropolitan's treated water is a good indicator of effective filtration. Filtration is called a "treatment technique" (TT).

A treatment technique is a required process intended to reduce the level of contaminants in drinking water that are difficult and sometimes impossible to measure directly.

2016 East Orange County Water District Distribution System Water Quality

Disinfection Byproducts	MCL (MRDL/MRDLG)	Average Amount	Range of Detections	MCL Violation? Typical So	ource of Contamir	nant
Total Trihalometha	nes (ppb)	80	20	3.6 – 24	No	Byproducts of Chlorine Disinfection
Haloacetic Acids (p	ppb)	60	4	ND - 3.5	No	Byproducts of Chlorine Disinfection
Chlorine Residual ((ppm)	(4 / 4)	0.85	0.36- 1.9	No	Disinfectant Added for Treatment
Aesthetic Qua	lity					
Color (color units)		15*	0.2	ND - 1	No	Erosion of Natural Deposits
Turbidity (NTU)		5*	<0.1	ND - 0.2	No	Erosion of Natural Deposits


Two locations in the distribution system are tested quarterly for total trihalomethanes and haloacetic acids; one location is tested monthly for color, odor and turbidity. Odor was not detected in 2016.
MRDL = Maximum Residual Disinfectant Level; MRDLG = Maximum Residual Disinfectant Level Goal
*Contaminant is regulated by a secondary standard to maintain aesthetic qualities (taste, odor, color).

Lead and Copper Action Levels at Residential Taps							
	Action Level (AL)	Health Goal	90 th Percentile Value	Sites Exceeding AL / Number of Sites	AL Violation?	Typical Source of Contaminant	
Lead (ppb)	15	0.2	ND	0 / 20	No	Corrosion of Household Plumbing	
Copper (ppm)	1.3	0.3	0.191	0 / 20	No	Corrosion of Household Plumbing	

Twenty residences were tested for lead and copper at-the-tap during 2015. Lead was not detected in any sample. Copper was detected in 17 samples but none exceeded the action level. The regulatory action level is the concentration of lead or copper which, if exceeded in more than ten percent of the homes tested, triggers treatment or other requirements that a water system must follow.

Where Does Our Water Come From?






The East Orange County Water
District vigorously works to
ensure the safety of your drinking
water and, in conjunction with
Metropolitan Water District and
OCWD, continuously monitors

the water to verify adherence with drinking water regulations.

How Does Our Water Get to Us?

Importing water from hundreds of miles away is only the start to providing you clean, fresh water. Once the water is in the southland, the Municipal Water District of Orange County, in partnership with the Metropolitan Water District of Southern California, pumps the water to individual cities throughout Orange County. The Orange County Water District, which manages the groundwater basin beneath the county, ensures the quality and supply of groundwater throughout its service area. East Orange County Water District sits atop the county aquifer and draws water from this local source, then blends it with the imported surface water.



The Need to Conserve Water Remains A High Priority Throughout California

This winter's wet weather, while welcome, has not alleviated the State's water situation. One good season can't overcome the effects of five dry years. Southern California has an arid climate and the need for wise water use must remain a part of everyone's daily lives. Simple water saving acts like the ones listed here can save countless gallons of water every day.



Soak pots and pans instead of letting water run while you scrub them clean. *This both saves water and makes the job easier.*



Keep a pitcher of drinking water in the refrigerator. *This can save gallons of water every day and it's always cold!*



Plug the sink instead of running water to rinse your razor or wet your toothbrush. *This can save upwards of 300 gallons of water a month.*



Use a broom instead of a hose to clean off sidewalks and driveways. It takes very little time to sweep and the water savings quickly adds up.



Check your sprinkler system for leaks, overspray, and broken sprinkler heads and repair promptly. *This can save countless gallons each time you water.*



Water plants in the early morning. *It reduces evaporation and ensures deeper watering.*

Where Do We Use Water the Most?

Outdoor watering of lawns and gardens makes up approximately 60% of home water use. By reducing your outdoor water use — by either cutting back on irrigation or planting more drought tolerant landscaping — you can dramatically reduce your overall water use. Save the most where you use the most: Make your outdoor use efficient.



Where Can You Learn More?

There's a wealth of information on the internet about Drinking Water Quality and water issues in general. Some good sites to begin your own research are:

Metropolitan Water District of So. California: www.mwdh2o.com California Department of Water Resources: www.water.ca.gov The Water Education Foundation: www.watereducation.org

To learn more about Water Conservation & Rebate Information:

www.bewaterwise.com • www.ocwatersmart.com

And to see the Aqueducts in action, checkout these two videos:

Wings Over the State Water Project: youtu.be/8A1v1Rr2neU
Wings Over the Colorado Aqueduct: youtu.be/KipMQh5t0f4



East Orange County Water District

185 North McPherson Road • Orange, California 92869 (714) 538-5815 • www.eocwd.com